

Recto

9 mm

9 mm

11.5 mm



Otrivine

Adult Metered Dose
0.1% Nasal **spray**

**Xylometazoline
Hydrochloride**

Read all of this leaflet carefully because it contains important information for you.

This medicine is available without a prescription. However, you still need to use Otrivine Adult Metered Dose 0.1% Nasal Spray carefully to get the best results from it.

- Keep this leaflet. You may need to read it again.
- Ask your pharmacist if you need more information or advice.
- You must contact a doctor if the symptoms worsen or do not improve after 7 days.
- If any of the side effects gets serious, or if you notice any side effect not listed in this leaflet, please tell your doctor or pharmacist.

In this leaflet:

1. What Otrivine Adult Metered Dose 0.1% Nasal Spray is and what it is used for
2. Before you use Otrivine Adult Metered Dose 0.1% Nasal Spray
3. How to use Otrivine Adult Metered Dose 0.1% Nasal Spray
4. Possible side effects
5. How to store Otrivine Adult Metered Dose 0.1% Nasal Spray
6. Further information

1. What Otrivine Adult Metered Dose 0.1% Nasal Spray is and what it is used for

Otrivine Adult Metered Dose 0.1% Nasal Spray is for application in the nose to give relief from:

- nasal congestion (blocked nose, including colds)
- perennial and allergic rhinitis (recurring inflammation of the nasal mucous membranes, including hay fever)
- sinusitis.

Otrivine Adult Metered Dose 0.1% Nasal Spray contains the active ingredient xylometazoline

hydrochloride which helps to open up and clear the nasal passages by reducing the excessive nasal secretions and returning the swollen blood vessels to their normal size.

2. Before you use Otrivine Adult Metered Dose 0.1% Nasal Spray

DO NOT use the spray if you:

- are allergic to xylometazoline hydrochloride or any of the other ingredients in the spray (see Section 6)
- have had recent neurosurgery.

Do not use this spray for children under 12 years old.

Take special care

Before using the spray tell your doctor if you:

- have an overactive thyroid gland (hyperthyroidism)
- have glaucoma
- have diabetes mellitus
- have heart or circulatory disease
- are pregnant or breast-feeding.
- have hypertension

Do not take decongestants for more than 7 days in a row.

Using other medicines

Please tell your doctor or pharmacist before using this product if you are taking or have recently taken any medicines (especially monoamine oxidase inhibitors or other antidepressants) including those obtained without a prescription.

Pregnancy or breast-feeding

If you are pregnant or breast-feeding, consult your doctor before using Otrivine.

Ask your doctor or pharmacist for advice before taking any medicine.

3. How to use Otrivine Adult Metered Dose 0.1% Nasal Spray

Dosage:

For Adults and Children over 12 years of age

1 spray in each nostril 1 to 3 times daily.



PHARMA CODE REF. IS: XXXX

72 mm

11.5 mm

145 mm

210 mm

Verso

9 mm

9 mm

11.5 mm

72 mm

PHARMA CODE REF: IS: XXXX

210 mm

Administration:

1. Do not cut the nozzle. The metered dose spray is ready to prime before use.
2. Clear your nose.
3. Remove the protective cap.
4. Before using for the first time, prime the pump by actuating 4 times. Once primed, the pump will normally remain charged throughout regular daily treatment periods. If the spray is not ejected during the full actuation stroke, or if the product has not been used for longer than 7 days, the pump will need to be reprimed with 4 actuations. Be very careful not to spray in the eyes or mouth.
5. Hold the bottle upright with thumb under base and nozzle between two fingers.
6. Lean forward slightly and insert the nozzle into a nostril (see diagram).
7. Depress pump and sniff at the same time.
8. Repeat for the other nostril.
9. Clean and dry the nozzle before replacing back the cap right after use.

To avoid possible spread of infection, this pack should only be used by one person.

Do not exceed the recommended dosage.

If you use more Otrivine Adult Metered Dose 0.1% Nasal Spray than you should, consult your doctor or pharmacist.

4. Possible side effects

Like all medicines, Otrivine Adult Metered Dose 0.1% Nasal Spray can cause side effects, although not everybody gets them. Local discomfort may be felt after applying the spray if you have sensitive nasal passages.

Occasionally the following side effects have been reported:

- A burning sensation in the nose and throat
- local irritation
- nausea
- headache
- dryness of the nasal membranes
- temporary and passing visual disturbances
- allergic reactions.

Cardiovascular effects, for example, palpitations may also occur especially if you have heart problems.

If any of the side effects gets serious, or if you notice any side effects not listed in this leaflet, please tell your doctor or pharmacist.

You can also report side effects directly via the Yellow Card Scheme: www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store. By reporting side effects you can help provide more information on the safety of this medicine.

5. How to store Otrivine Adult Metered Dose 0.1% Nasal Spray

Keep this medicine out of the sight and reach of children.

Do not use after the expiry date which is stated on the bottle after "EXP". The expiry date refers to the last day of that month.

Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

6. Further information

What Otrivine Adult Metered Dose 0.1% Nasal Spray contains

The **active** ingredient is xylometazoline hydrochloride (0.1% w/v).

The **other** ingredients are Benzalkonium chloride, sodium phosphate, disodium edetate, sodium acid phosphate, sodium chloride, sorbitol, hypromellose and purified water.

What Otrivine Adult Metered Dose 0.1% Nasal Spray looks like and the contents of the pack
Otrivine Adult Metered Dose 0.1% Nasal Spray is a clear, colourless aqueous solution packed in 10 ml bottles.

Marketing Authorisation Holder

GlaxoSmithKline Consumer Healthcare (UK) Trading Limited, Brentford, TW8 9GS, U.K.

Manufacturer

GlaxoSmithKline Consumer Healthcare (UK) Trading Limited, Brentford, TW8 9GS, U.K.

This leaflet was last revised in July 2020

Trade marks are owned by or licensed to the GSK group of companies.

NPA001825



145 mm

11.5 mm