165.36mm Blank Width 159.76mm Print Width 153.76mm Graphic Area

If you get any side effects talk to your doctor. You can also report side effects at www.mhra.gov.uk/yellowcard.

### Active Ingredients: (w/w)

2-Hydroxyethyl salicylate 5.0%, Ethyl salicylate 5.0%, Methyl nicotinate 1.6%, Methyl salicylate 1.0% Also contains: Propan-2-ol, Butane

Keep all medicines out of the sight and reach of children. Store below 30°C. Do not use after the 'Use by' date shown on the bottom of the can. Ask your pharmacist how to dispose of medicines no longer required.

Warning: Danger. Pressurised container. Do not pierce or burn even after use. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Keep away from heat/sparks/open flames/hot surfaces - No smoking. Do not spray on an open flame or other ignition source.

# 6

# **Pain Relief Spray**

### Effective Relief

from rheumatic pain, muscular aches and strains

Pain

Relief

**PLUS** Heat

Deep Heat Pain Relief Spray is a pain relieving, warming spray. It is recommended for the relief of pain in muscles. tendons, joints or bones, lower back and thigh pain, sprains or strains. It can be used before and after exercise.

#### Directions for use:

#### Adults and children over 5 years only.

- Use only on your skin.
- Always try on a small area first and use sparingly.
- Shake can well before use.
- Hold the nozzle not less than 15cm (6") from the site of pain and spray in 2-3 short bursts. Massage is not required. Protect the face when spraving around the neck/shoulders.
- Repeat up to 3 times per day.
- Wash your hands after use.
- Do not inhale.
- If symptoms persist consult your doctor.

### Caution:

Do not use:

- if you are allergic to any of the ingredients
- if you are allergic to pain relievers such as aspirin. ibuprofen or other anti-inflammatories
- on children under 5 years old
- on broken skin, your eyes or other sensitive areas of skin
- See your doctor before use: if you are
- pregnant breast feeding asthmatic taking medicines that thin the blood, prevent clots (e.g.
- aspirin) or any other prescribed medicines. Stop using if excessive irritation, allergic reaction or other unwanted effects occur. Skin burns, blisters and temporary skin redness, rashes or burning sensation may occur. Some people may experience discomfort, particularly those with sensitive skin or if used in hot weather/after a hot bath.


Area **68mm Blank Height** 108.6



PL00189/0012

Graphic 88.68mm

CΓ



Braille reads: Deep Heat Pain Relief Spray

### 165.36mm Blank Width

### 159.76mm Print Width

### 153.76mm Graphic Area

If you get any side effects talk to your doctor. You can also report side effects at www.mhra.gov.uk/yellowcard.

Active Ingredients: (w/w) 2-Hydroxyethyl salicylate 5.0%, Ethyl salicylate 5.0%, Methyl nicotinate 1.6%, Methyl salicylate 1.0% Also contains: Propan-2-ol, Butane

Keep all medicines out of the sight and reach of children. Store below 30°C. Do not use after the 'Use by' date shown on the bottom of the can. Ask your pharmacist how to dispose of medicines no longer required.

Warning: Danger. Pressurised container. Do not pierce or burn even after use. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Keep away from heat/sparks/open flames/hot surfaces - No smoking. Do not spray on an open flame or other ignition source.

> EXTREMELY FLAMMABLE

Manufacturer and MA holder

PL00189/0012

270 🤅

D1016-1

L20g 180 ml $\Theta$ 

The Mentholatum Co. Ltd. East Kilbride G74 5PE, UK.

ast revised February 2017

# DEEP HEAT

# **Pain Relief Spray**

### Effective Relief

from rheumatic pain, muscular aches and strains



### Deep Heat Pain Relief Spray is a pain relieving, warming spray. It is recommended for the relief of pain in muscles, tendons, joints or bones, lower back and thigh pain, sprains or strains. It can be used before and after exercise.

### Directions for use: Adults and children over 5 years only.

- Use only on your skin.
- Always try on a small area first and use sparingly.
- Shake can well before use.
- Hold the nozzle not less than 15cm (6") from the site of pain and spray in 2-3 short bursts. Massage is not required. Protect the face when spraying around the neck/shoulders.
- Repeat up to 3 times per day.
- Wash your hands after use.
- Do not inhale.
- If symptoms persist consult your doctor.

### Caution:

### Do not use:

- if you are allergic to any of the ingredients
- if you are allergic to pain relievers such as aspirin, ibuprofen or other anti-inflammatories
- on children under 5 years old
- on broken skin, your eyes or other sensitive areas of skin

### See your doctor before use: if you are

 pregnant • breast feeding • asthmatic
taking medicines that thin the blood, prevent clots (e.g. aspirin) or any other prescribed medicines.

Stop using if excessive irritation, allergic reaction or other unwanted effects occur. Skin burns, blisters and temporary skin redness, rashes or burning sensation may occur. Some people may experience discomfort, particularly those with sensitive skin or if used in hot weather/after a hot bath.

# 135.68mm Blank Height

115.68mm Graphic Area

